



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

predicate WITH query and join and "union all v

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web** Results 1 - 3 of 3 for [predicate WITH query and join and "union all view "](#) and [\(predicate with false\)](#) and ["empty resu](#)

Tip: Try removing quotes from your search to get more results.

[SQL Server 2000 SP4 修正項目一覧](#) - [ [Translate this page](#) ]

FIX: An outer or semi **JOIN** query that results in hash role reversal followed ... [されたメン](#)

/FIX: calculated member in WHERE clause may cause **empty result** ...

[blogs.sqlpassj.org/yoshihirokawabata/articles/6898.aspx](#) - 174k - [Cached](#) - [Similar pages](#)

[kbAlertz!](#)

Q328187 FIX: A **Query** That Uses a Hash Match with a Residual **Predicate** Might ... even if the condition in the WHEN expression is **false** in SQL Server 2000 ...

[www.kbalertz.com/allKbs.aspx?tec=192](#) - 665k - [Cached](#) - [Similar pages](#)

[kbAlertz!](#)

SELECT with NOT EXISTS Can Choose Slower Merge **Join** Plan (Q268150) ... Q328187

FIX: A **Query** That Uses a Hash Match with a Residual **Predicate** Might Return ...

[www.kbalertz.com/allKbs.aspx?tec=191](#) - 796k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

predicate WITH query and join and "

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

predicate WITH query and join and "union all v

Search

[Advanced Search](#)  
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 1 - 10 of about 83 for **predicate WITH query and join and "union all view " and (predicate with false)**. (0.73 se

### Tuning Distributed Queries

The "WHERE deptno=30" **predicate** used in the **query** is pushed down to the queries in the **UNION ALL view**. For a WHERE clause such as "WHERE deptno=10 and ...  
[www.csee.umbc.edu/help/oracle8/ server.815/a67775/ch8\\_dist.htm](#) - 41k -  
[Cached](#) - [Similar pages](#)

### [PDF] Partitioning in DB2 Using the UNION ALL View

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The treatment of the **UNION ALL view** in the DB2 **query** rewrite ... **predicate** pushdown or **join** pushdown. In such situations, the entire view may have to be ...  
[www.ibm.com/developerworks/db2/ library/techarticle/0202zuzarte/0202zuzarte.pdf](#) -  
[Similar pages](#)

### Managing Partition Views

A **UNION ALL view** functions in this way if each branch has a **query** that conforms to ... If the **predicate** evaluates to **FALSE**, the partition will be skipped. ...  
[thinkunix.net/unix/db/oracle/ docs-7.3/DOC/server/doc/A48506/partview.htm](#) - 36k -  
[Cached](#) - [Similar pages](#)

### Optimizing SQL Statements

When the condition comes back **false** for one part of the UNION ALL **query**, ... At least one **predicate** in the **query** referencing the view exists in the same ...  
[www.mid.main.vsu.ru/docs/ oracle/server.816/a76992/sql.htm](#) - 135k -  
[Cached](#) - [Similar pages](#)

### A list of the bugs that are fixed in SQL Server 2000 Service Pack 4

812995 (<http://support.microsoft.com/kb/812995/>) FIX: A **query** with an aggregate ...  
remoting of a **predicate** as a Sub-SELECT function after SQL Server 2000 ...  
[support.microsoft.com/?kbid=888799](#) - [Similar pages](#)

### A list of the bugs that are fixed in SQL Server 2000 Service Pack 4

812798 (<http://support.microsoft.com/kb/812798/>) FIX: A **UNION ALL view** may not ...  
remoting of a **predicate** as a Sub-SELECT function after SQL Server 2000 ...  
[support.microsoft.com/kb/888799/en-us](#) - [Similar pages](#)

### RE: SYSIBM.GENROW showing up in explains?

... evaluate the **predicate** in the GENROW, which is in the form of: (**query predicate**) ... the **predicate** will return **false** and the GENROW will produce no row. ...  
[www2.herehey.com:8888/db2eug. w3archive/200309/msg00007.html](#) - 7k -  
[Cached](#) - [Similar pages](#)

### kbAlertz: Lists the fixes that are included with SQL Server 2000 ...

kbNumber=811467/) FIX: A Unicode LIKE **predicate** with binary collation may ...  
kbNumber=824028/) FIX: An OUTER or SEMI JOIN **query** that results in hash role ...  
[www.kbalertz.com/Feedback.aspx?kbNumber=888799](#) - 238k - [Cached](#) - [Similar pages](#)

### Bugs fixed in the 9.2.0.6 Patch Set

3607226, No **predicate** pushing into **UNION ALL view** with analytic function/s ... 3763027,  
Dump (in KKOJNP) possible parsing **query** with pushed **join predicate** ...  
[www.eygle.com/Notes/9.2.0.6.PatchSet-List. of.Bug.Fixes.by.Problem.Type.htm](#) - 509k -  
[Cached](#) - [Similar pages](#)

### Bugs fixed in the 9.2.0.2 Patch Set